



KanCare Dashboard

KanCare is the Kansas managed care program for Medicaid and the Children’s Health Insurance Program (CHIP). This Dashboard shows how KanCare is doing year to year and compared to other states’ health plans. Sunflower Health Plan (SHP) and UnitedHealthcare Community Plan of Kansas (UHC) have been with KanCare since January 2013. Aetna Better Health of Kansas (ABH) started with KanCare on January 1, 2019.

How to read the Dashboard:




The year is the Measurement Year. The percentage is the KanCare rate. This rate is a combination of the three KanCare health plans' rates. Where available, each health plan's rate is listed below the combined rates.



The blue bar shows the KanCare rate on a scale of 0% to 100%. A line at 50% is used as a reference point.



A percentage point change is the current year's rate minus the prior year's rate. An up arrow (↑) means the rate is at least 2.0 points higher than the prior year. A down arrow (↓) means the rate is at least 2.0 points lower than the prior year. A dash (–) means a small or no change from the prior year. Gray shading means there is nothing to report. This may be because the measure is new that year.



The arrow shows how well KanCare is doing on a scale from 0 to 100 compared to other states' health plans. The lowest 25% of health plan rates form the red zone (0 to 25th). The highest 50% of health plan rates form the green zone (50th to 100th).

Table of Contents

Page	Side	Source	Measure
5	Left	CAHPS survey	Rating of Health Plan, General Child
5	Right	CAHPS survey	Rating of Health Plan, Adult
6	Left	CAHPS survey	Rating of All Health Care, General Child
6	Right	CAHPS survey	Rating of All Health Care, Adult
7	Left	CAHPS survey	Rating of Personal Doctor, General Child
7	Right	CAHPS survey	Rating of Personal Doctor, Adult
8	Left	CAHPS survey	Rating of Specialist Seen Most Often, General Child
8	Right	CAHPS survey	Rating of Specialist Seen Most Often, Adult
9	Left	HEDIS	Well-Child Visits in the First 30 Months of Life (Ages 0–15 months)
9	Right	HEDIS	Well-Child Visits in the First 30 Months of Life (Ages 15 months–30 months)
10	Left	HEDIS	Child and Adolescent Well-Care Visits (Ages 3–11)
10	Right	HEDIS	Child and Adolescent Well-Care Visits (Ages 12–17)
11	Left	HEDIS	Child and Adolescent Well-Care Visits (Ages 18–21)
11	Right	HEDIS	Child and Adolescent Well-Care Visits (Ages 3–21)
12	Left	HEDIS	Access to Ambulatory Health Services, Adult
13	Left	HEDIS	Chlamydia Screening in Women
14	Left	HEDIS	Childhood Immunizations, Combination 10
14	Right	CAHPS survey	Flu Vaccination
15	Left	HEDIS	Cervical Cancer Screening
15	Right	HEDIS	Breast Cancer Screening
16	Left	HEDIS	Annual Dental Visit for Children/Adolescents
17	Left	HEDIS	Weight Assessment/BMI for Children/Adolescents
17	Right	HEDIS	Counseling for Nutrition for Children/Adolescents
18	Left	HEDIS	Counseling for Physical Activity for Children/Adolescents
19	Left	CAHPS survey	Medication Assistance with Smoking and Tobacco Use Cessation
20	Left	HEDIS	Initiation in Treatment for Alcohol or Other Drug Dependence
20	Right	HEDIS	Engagement in Treatment for Alcohol or Other Drug Dependence
21	Left	HEDIS	Timeliness of Prenatal Care
21	Right	HEDIS	Postpartum Care
22	Left	CAHPS survey	Getting Needed Care, General Child
22	Right	CAHPS survey	Getting Needed Care, Adult
23	Left	HEDIS	Controlling High Blood Pressure
23	Right	HEDIS	HbA1C Control (<8.0%)
24	Left	HEDIS	Follow-Up Care for Children Prescribed ADHD Medication within the Initiation Phase
24	Right	HEDIS	Follow-Up Care for Children Prescribed ADHD Medication within the Continuation and Maintenance Phase
25	Left	HEDIS	Follow-Up after Hospitalization for Mental Illness within 7 days of discharge
26	Left	CAHPS survey	Coordination of Care, General Child
26	Right	CAHPS survey	Coordination of Care, Adult



Table of Contents

Page	Side	Source	Measure
27	Left	CAHPS survey	How Well Doctors Communicate, General Child
27	Right	CAHPS survey	How Well Doctors Communicate, Adult
28	Left	HEDIS	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence, 7 days
28	Right	HEDIS	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence, 30 days
29	Left	HEDIS	Follow-Up After Emergency Department Visit for Mental Illness, 7 days
29	Right	HEDIS	Follow-Up After Emergency Department Visit for Mental Illness, 30 days

Notes:

- Healthcare Effectiveness data and Information set (HEDIS®) measures. HEDIS is a registered trademark of the National Committee for Quality Assurance (NCQA).
- Consumer Assessment of Healthcare Providers and Systems (CAHPS®) Health Plan survey results. CAHPS is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ), U.S. Department of Health and Human Services.
- Quality Compass® provides benchmarks of health plan performance. It is a registered trademark of the National Committee for Quality Assurance.
- Amerigroup Kansas, Inc. provided KanCare services from January 2013 through December 2018.

Footnotes:

* The 2020 rates and Quality Compass scores may have been impacted by COVID-19.

Rating of Health Plan General Child

CAHPS survey	Higher rates are better		Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%		
2017	87.7%		—	
2018	88.5%		—	
2019	88.4%		—	
2020*	89.9%		—	
2021	89.9%		—	

Rating of Health Plan, General Child:

Percent rating their child’s Health Plan an 8, 9, or 10, where 0 is the worst health plan possible and 10 is the best health plan possible.

2021 health plan rates: ABH 89.8%, SHP 90.4%, UHC 89.5%

Rating of Health Plan Adult

CAHPS survey	Higher rates are better		Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%		
2017	75.7%		—	
2018	77.8%		↑	
2019	78.8%		—	
2020*	80.1%		—	
2021	80.0%		—	

Rating of Health Plan, Adult:

Percent rating their Health Plan an 8, 9, or 10, where 0 is the worst health plan possible and 10 is the best health plan possible.

2021 health plan rates: ABH 76.7%, SHP 83.2%, UHC 79.3%

Rating of All Health Care General Child

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	88.5%	—	
2018	88.3%	—	
2019	87.7%	—	
2020*	89.2%	—	
2021	89.5%	—	

Rating of All Health Care, General Child:

Percent rating their child’s health care an 8, 9, or 10, where 0 is the worst health care possible and 10 is the best health care possible.

2021 health plan rates: ABH 89.7%, SHP 90.2%, UHC 88.6%

Rating of All Health Care Adult

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	74.5%	—	
2018	74.7%	—	
2019	79.0%	↑	
2020*	78.4%	—	
2021	76.9%	—	

Rating of All Health Care, Adult:

Percent rating their health care an 8, 9, or 10, where 0 is the worst health care possible and 10 is the best health care possible.

2021 health plan rates: ABH 75.9%, SHP 77.7%, UHC 76.9%

Rating of Personal Doctor General Child

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	90.5%	—	
2018	90.3%	—	
2019	89.5%	—	
2020*	91.2%	—	
2021	89.5%	—	

Rating of Personal Doctor, General Child:

Percent rating their child’s personal doctor an 8, 9, or 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible.

2021 health plan rates: ABH 88.3%, SHP 92.9%, UHC 87.1%

Rating of Personal Doctor Adult

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	83.0%	↑	
2018	83.4%	—	
2019	84.3%	—	
2020*	86.3%	↑	
2021	85.4%	—	

Rating of Personal Doctor, Adult:

Percent rating their personal doctor an 8, 9, or 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible.

2021 health plan rates: ABH 80.8%, SHP 89.3%, UHC 85.1%

Rating of Specialist Seen Most Often General Child

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	88.5%	—	
2018	90.7%	↑	
2019	87.8%	↓	
2020*	87.4%	—	
2021	84.9%	↓	

Rating of Specialist Seen Most Often, General Child:

Percent rating their child’s specialist (the one seen most often in the last 6 months) an 8, 9, or 10, where 0 is the worst specialist possible and 10 is the best specialist possible.

2021 health plan rates: ABH 88.5%, SHP 81.1%, UHC 86.1%

Rating of Specialist Seen Most Often Adult

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	82.7%	↑	
2018	82.4%	—	
2019	85.2%	↑	
2020*	86.3%	—	
2021	86.4%	—	

Rating of Specialist Seen Most Often, Adult:

Percent rating their specialist (the one seen most often in the last 6 months) an 8, 9, or 10, where 0 is the worst specialist possible and 10 is the best specialist possible.

2021 health plan rates: ABH 85.0%, SHP 86.0%, UHC 87.6%

Well-Child Visits in the First 30 Months of Life Ages 0–15 months

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	60.7%	↑	
2018	54.8%	↓	
2019	63.0%	↑	
2020*	55.1%		
2021	56.8%	—	

Well-Child Visits in the First 30 Months of Life
(Ages 0–15 months):

Percent of members who turned 15 months old during the measurement year and who had six or more well-child visits with a Primary Care Provider (PCP) during their first 15 months of life.

Due to changes in the measure in 2020, do not trend with prior years.

2021 health plan rates: ABH 55.9%, SHP 57.3%, UHC 57.1%

Well-Child Visits in the First 30 Months of Life Ages 15 months–30 months

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017			
2018			
2019			
2020*	65.3%		
2021	60.5%	↓	

Well-Child Visits in the First 30 Months of Life
(Ages 15 months–30 months):

Percent of members who turned 30 months old during the measurement year and who had two or more well-child visits with a Primary Care Provider (PCP) during their second 15 months of life.

2021 health plan rates: ABH 59.0%, SHP 63.0%, UHC 59.1%

Child and Adolescent Well-Care Visits Ages 3–11 years

HEDIS	Higher rates are better			Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%	100%		
2017					
2018					
2019					
2020*	48.4%				
2021	53.2%			↑	

Child and Adolescent Well-Care Visits (Ages 3–11):

Percent of members (ages 3-11) who had one or more well-child visits with a Primary Care Provider (PCP) or an Obstetrician/Gynecologist (OB/GYN) during the measurement year.

2021 health plan rates: ABH 50.9%, SHP 56.1%, UHC 51.8%

Child and Adolescent Well-Care Visits Ages 12–17 years

HEDIS	Higher rates are better			Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%	100%		
2017					
2018					
2019					
2020*	46.1%				
2021	49.0%			↑	

Child and Adolescent Well-Care Visits (Ages 12–17):

Percent of members (ages 12-17) who had one or more well-child visits with a Primary Care Provider (PCP) or an Obstetrician/Gynecologist (OB/GYN) during the measurement year.

2021 health plan rates: ABH 45.7%, SHP 52.4%, UHC 48.1%

Primary Care Access and Preventive Care

**Child and Adolescent Well-Care Visits
Ages 18–21 years**

HEDIS	Higher rates are better			Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%	100%		
2017					
2018					
2019					
2020*	23.9%				
2021	21.5%			↓	

Child and Adolescent Well-Care Visits (Ages 18–21):

Percent of members (ages 18-21) who had one or more well-child visits with a Primary Care Provider (PCP) or an Obstetrician/Gynecologist (OB/GYN) during the measurement year.

2021 health plan rates: ABH 19.7%, SHP 23.6%, UHC 20.9%

**Child and Adolescent Well-Care Visits
Ages 3–21 years**

HEDIS	Higher rates are better			Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%	100%		
2017					
2018					
2019					
2020*	45.2%				
2021	47.6%			↑	

Child and Adolescent Well-Care Visits (Ages 3–21):

Percent of members (ages 3-21) who had one or more well-child visits with a Primary Care Provider (PCP) or an Obstetrician/Gynecologist (OB/GYN) during the measurement year.

2021 health plan rates: ABH 44.9%, SHP 50.6%, UHC 46.5%

Access to Ambulatory Health Services Adult

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	86.7%	—	
2018	86.6%	—	
2019	87.7%	—	
2020*	84.9%	↓	
2021	84.0%	—	

Access to Ambulatory Health Services, Adult:

Percent of members (age 20 and over) who had an ambulatory (outpatient) or preventive care visit.

Due to changes in the measure in 2018, trend with prior years with caution.

2021 health plan rates: ABH 81.1%, SHP 84.7%, UHC 85.4%

Intentionally Left Blank

Chlamydia Screening in Women

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	45.1%	—	
2018	43.5%	—	
2019	45.3%	—	
2020*	42.2%	↓	
2021	44.5%	↑	

Chlamydia Screening in Women:

Percent of women (ages 16-24) who were identified as sexually active and who had at least one test for chlamydia during the measurement year.

2021 health plan rates: ABH 41.7%, SHP 44.6%, UHC 46.4%

Intentionally Left Blank

Childhood Immunizations Combination 10

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	33.4%	↑	
2018	34.5%	—	
2019	37.1%	↑	
2020*	40.0%	↑	
2021	36.0%	↓	

Childhood Immunization Status, Immunizations Combination 10:

Percent of members 2 years of age who were up-to-date on 10 immunizations (DTAP, IPV, MMR, HIB, HEPATITIS A, HEPATITIS B, VZV, PCV, ROTAVIRUS AND INFLUENZA) by their second birthday.

Due to changes in the measure in 2018, trend with prior years with caution.

2021 health plan rates: ABH 31.9%, SHP 36.3%, UHC 38.7%

Flu Vaccination

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	48.8%	↑	
2018	50.5%	—	
2019	53.4%	↑	
2020*	51.9%	—	
2021	47.1%	↓	

Received the Influenza Vaccination, Age 18 to 64:

Have you had either a flu shot, or flu spray in the nose since July 1 of the prior year?

2021 health plan rates: ABH 47.7%, SHP 50.8%, UHC 43.4%

Cervical Cancer Screening

HEDIS	Higher rates are better		Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%		
2017	58.3%		↑	
2018	59.1%		—	
2019	57.2%		—	
2020*	59.8%		↑	
2021	61.6%		—	

Cervical Cancer Screening:

Percent of female members (ages 21-64) who were screened and tested for cervical cancer using either of the following criteria:

- Women 21-64 years of age who had cervical pap test (pap smear) performed every 3 years.
- Women 30-64 years of age who had cervical pap test/human papillomavirus (HPV) co-testing performed every 5 years.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 54.3%, SHP 62.0%, UHC 66.2%

Breast Cancer Screening

HEDIS	Higher rates are better		Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50%		
2017	47.0%		—	
2018	48.0%		—	
2019	51.3%		↑	
2020*	48.7%		↓	
2021	45.2%		↓	

Breast Cancer Screening:

Percent of female members (ages 50-74) who had at least one mammogram (X-ray) to look for breast cancer in the past two years.

Due to changes in the measure in 2017, do not trend with prior years.

Due to changes in the measure in 2018, trend with prior years with caution.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 36.5%, SHP 49.8%, UHC 46.7%

Annual Dental Visit for Children/Adolescents

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	64.8%	—	
2018	65.4%	—	
2019	66.7%	—	
2020*	55.3%	↓	
2021	57.5%	↑	

Annual Dental Visit for Children/Adolescents:

Percent of members (ages 2-20) with dental benefits, who had at least one dental visit during the year.

2021 health plan rates: ABH 55.9%, SHP 58.6%, UHC 57.6%

Intentionally Left Blank

Primary Care Access and Preventive Care

Weight Assessment/BMI for Children/Adolescents

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	64.7%	↑	
2018	63.8%	—	
2019	60.3%	↓	
2020*	65.1%	↑	
2021	62.3%	↓	

Weight Assessment & Counseling for Nutrition and Physical Activity for Children/Adolescents, Weight Assessment/BMI:

Percent of members (ages 3-17) who had an outpatient visit with a Primary Care Provider (PCP) or Obstetrician/Gynecologist (OB/GYN) and who had their BMI Body Mass Index (BMI - a measure of body fat relating height to weight) noted.

*Due to changes in the measure in 2018, trend with prior years with caution.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 61.8%, SHP 56.0%, UHC 69.3%

Counseling for Nutrition for Children/Adolescents

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	59.2%	↑	
2018	57.2%	↓	
2019	59.6%	↑	
2020*	58.2%	—	
2021	60.5%	↑	

Weight Assessment & Counseling for Nutrition and Physical Activity for Children/Adolescents, Counseling for Nutrition:

Percent of members (ages 3-17) who had an outpatient visit with a Primary Care Provider (PCP) or Obstetrician/Gynecologist (OB/GYN) and who had proof of teaching about nutrition (healthy eating).

Due to changes in the measure in 2018, trend with prior years with caution.

2021 health plan rates: ABH 58.6%, SHP 59.4%, UHC 63.0%

Counseling for Physical Activity for Children/Adolescents

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	53.9%	↑	
2018	55.0%	—	
2019	54.9%	—	
2020*	55.7%	—	
2021	56.4%	—	

Weight Assessment & Counseling for Nutrition and Physical Activity for Children/Adolescents, Counseling for Physical Activity:

Percent of members (ages 3-17) who had an outpatient visit with a Primary Care Provider (PCP) or Obstetrician/Gynecologist (OB/GYN) and who had proof of teaching about physical activity.

Due to changes in the measure in 2018, trend with prior years with caution.

2021 health plan rates: ABH 54.5%, SHP 55.7%, UHC 58.6%

Intentionally Left Blank

Medication Assistance with Smoking and Tobacco Use Cessation

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	51.2%	↑	
2018	52.2%	—	
2019	53.4%	—	
2020*	54.1%	—	
2021	52.5%	—	

Advising Smokers and Tobacco Users to Quit, Medication Based Strategy:

In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco?

(Always, Usually, or Sometimes)

2021 health plan rates: ABH 45.5%, SHP 63.2%, UHC 47.7%

Intentionally Left Blank

Initiation in Treatment for Alcohol or Other Drug Dependence

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	35.8%		
2018	36.2%	—	
2019	41.2%	↑	
2020*	44.3%	↑	
2021	41.1%	↓	

Initiation in Treatment for Alcohol or Other Drug Dependence:

Percent of members (age 13 and over) with a new period of alcohol or other drug (AOD) abuse or dependence who began treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth or medication treatment within 14 days of diagnosis.

Due to changes in the measure in 2017, do not trend with prior years.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 42.8%, SHP 41.7%, UHC 39.1%

Engagement in Treatment for Alcohol or Other Drug Dependence

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	12.0%		
2018	11.6%	—	
2019	13.6%	↑	
2020*	12.9%	—	
2021	12.1%	—	

Engagement in Treatment for Alcohol or Other Drug Dependence:

Percent of members (age 13 and over) with a new period of alcohol or other drug (AOD) abuse or dependence who began treatment and who had two or more additional AOD services or medication treatment within 34 days of the first visit.

Due to changes in the measure in 2017, do not trend with prior years.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 12.0%, SHP 12.4%, UHC 11.7%

Timeliness of Prenatal Care

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	69.3%	—	
2018	75.5%		
2019	84.3%		
2020*	80.1%	↓	
2021	79.3%	—	

Timeliness of Prenatal Care:

Percent of women that received a prenatal care visit in the first three months of pregnancy (first trimester), on the health plan enrollment start date or within 42 days of enrollment in the health plan.

*Due to changes in the measure in 2018, do not trend with prior years.
Due to changes in the measure in 2019, do not trend with prior years.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 72.0%, SHP 68.9%, UHC 94.4%

Postpartum Care

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	61.1%	↑	
2018	58.2%	↓	
2019	67.0%		
2020*	76.0%	↑	
2021	75.3%	—	

Postpartum Care:

Percent of women that had a health care visit on or between 21 and 56 days after having a baby.

*Due to changes in the measure in 2019, do not trend with prior years.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 73.5%, SHP 66.9%, UHC 84.9%

Getting Needed Care/Getting Care Quickly

Getting Needed Care General Child

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	90.3%	↑	
2018	89.5%	—	
2019	88.2%	—	
2020*	87.9%	—	
2021	89.1%	—	

Getting Needed Care, General Child:

A combination of responses to the following questions regarding the last 6 months:

- How often was it easy to get the care, tests, or treatment your child needed?
- How often did you get an appointment for your child to see a specialist as soon as your child needed?

2021 health plan rates: ABH 88.0%, SHP 88.0%, UHC 90.9%

Getting Needed Care Adult

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	85.4%	—	
2018	85.1%	—	
2019	86.3%	—	
2020*	88.0%	—	
2021	88.5%	—	

Getting Needed Care, Adult:

A combination of responses to the following questions regarding the last 6 months:

- How often was it easy to get the care, tests, or treatment you needed?
- How often did you get an appointment to see a specialist as soon as you needed?

2021 health plan rates: ABH 88.1%, SHP 89.0%, UHC 88.4%

Controlling High Blood Pressure

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	53.6%	—	
2018	58.6%	—	
2019	54.4%	↓	
2020*	60.3%	—	
2021	62.0%	—	

Controlling High Blood Pressure:

Percent of members (ages 18-75) with diabetes (type 1 and type 2) who had their Blood Pressure under control (<140/90 mm Hg).

Due to changes in the measure in 2018, do not trend with prior years.

Due to changes in the measure in 2020, do not trend with prior years.

2021 health plan rates: ABH 56.2%, SHP 57.7%, UHC 69.6%

HbA1C Control (<8.0%)

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	55.0%	↑	
2018	54.9%	—	
2019	53.2%	—	
2020*	53.9%	—	
2021	50.1%	↓	

Comprehensive Diabetes Care, HbA1C Control (<8.0%):

Percent of members (ages 18-75) with diabetes (type 1 and type 2) who had their Hemoglobin A1c (average level of blood sugar over the past two to three months) considered under control (<8.0%).

Due to changes in the measure in 2018, trend with prior years with caution.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 47.9%, SHP 42.8%, UHC 58.6%

Follow-Up Care for Children Prescribed ADHD Medication within the Initiation Phase



Follow-Up Care for Children Prescribed ADHD Medication within the Initiation Phase:

Percent of members (ages 6-12) who had a follow-up provider visit within 30 days of the first order for ADHD (Attention Deficit Hyperactivity Disorder) medicine.

*Due to changes in the measure in 2017, trend with prior years with caution.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 45.6%, SHP 45.4%, UHC 44.4%

Follow-Up Care for Children Prescribed ADHD Medication within the Continuation and Maintenance Phase



Follow-Up Care for Children Prescribed ADHD Medication within the Continuation and Maintenance Phase:

Percent of children who were ages 6-12 years when first given medicine for ADHD (Attention Deficit Hyperactivity Disorder), who were on the medication 210 days and had at least 2 follow-up provider visits 9 months after the first dose.

*Due to changes in the measure in 2017, trend with prior years with caution.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 55.4%, SHP 57.3%, UHC 57.5%

Follow-Up after Hospitalization for Mental Illness within seven days of discharge

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	59.0%		
2018	55.3%	↓	
2019	54.4%	—	
2020*	52.8%	—	
2021	52.0%	—	

Follow-Up after Hospitalization for Mental Illness within 7 days of discharge:

Percent of discharges for members (age 6 and over) who were in a hospital for treatment of selected mental illness or intentional self-harm, who had a follow-up visit with a mental health provider within 7 days after discharge.

Due to changes in the measure in 2017, do not trend with prior years.

Due to changes in the measure in 2018, trend with prior years with caution.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 50.4%, SHP 53.2%, UHC 51.9%

Intentionally Left Blank

Coordination of Care/Communication

**Coordination of Care
General Child**

CAHPS survey	Higher rates are better		Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50% 100%		
2017	84.9%		↑	
2018	81.4%		↓	
2019	83.2%		—	
2020*	84.2%		—	
2021	84.6%		—	

Coordination of Care, General Child:

For children who received care from a doctor or other health provider besides their personal doctor:

- In the last 6 months, how often did your child’s personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

2021 health plan rates: ABH 82.1%, SHP 84.1%, UHC 86.7%

**Coordination of Care
Adult**

CAHPS survey	Higher rates are better		Compared to Prior Year	Compared to U.S. via Quality Compass
	0%	50% 100%		
2017	84.6%		—	
2018	83.8%		—	
2019	82.7%		—	
2020*	87.9%		↑	
2021	89.9%		↑	

Coordination of Care, Adult:

For adults who received care from a doctor or other health provider besides their personal doctor:

- In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

2021 health plan rates: ABH 87.4%, SHP 90.9%, UHC 90.8%

Coordination of Care/Communication

**How Well Doctors Communicate
General Child**

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	95.6%	—	
2018	95.3%	—	
2019	95.0%	—	
2020*	96.3%	—	
2021	95.7%	—	

How Well Doctors Communicate, General Child:

A combination of responses to the following questions regarding the last 6 months:

- How often did your child’s personal doctor explain things about your child’s health in a way that was easy to understand?
- How often did your child’s personal doctor listen carefully to you?
- How often did your child’s personal doctor show respect for what you had to say?
- How often did your child’s personal doctor spend enough time with your child?

2021 health plan rates: ABH 95.2%, SHP 97.3%, UHC 94.6%

**How Well Doctors Communicate
Adult**

CAHPS survey	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	92.5%	—	
2018	92.5%	—	
2019	92.8%	—	
2020*	93.1%	—	
2021	93.4%	—	

How Well Doctors Communicate, Adult:

A combination of responses to the following questions regarding the last 6 months:

- How often did your personal doctor explain things in a way that was easy to understand?
- How often did your personal doctor listen carefully to you?
- How often did your personal doctor show respect for what you had to say?
- How often did your personal doctor spend enough time with you?

2021 health plan rates: ABH 93.2%, SHP 95.3%, UHC 91.9%

Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence within seven days

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	15.4%		
2018	15.6%	—	
2019	14.4%	—	
2020*	15.6%	—	
2021	13.2%	↓	

Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence, 7 days:

Percent of emergency room visits for members (age 13 and over) with a principal diagnosis (main reason for visit) of alcohol or other drug (AOD) abuse or dependence, who had a follow-up visit for AOD within 7 days of the emergency room visit.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 15.5%, SHP 11.0%, UHC 13.5%

Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence within thirty days

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	22.4%		
2018	22.9%	—	
2019	21.3%	—	
2020*	21.3%	—	
2021	20.4%	—	

Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence, 30 days:

Percent of emergency room visits for members (age 13 and over) with a principal diagnosis (main reason for visit) of alcohol or other drug (AOD) abuse or dependence, who had a follow-up visit for AOD within 30 days of the emergency room visit.

Due to changes in the measure in 2020, trend with prior years with caution.

2021 health plan rates: ABH 23.8%, SHP 16.9%, UHC 21.1%

Follow-Up After Emergency Department Visit for Mental Illness within seven days

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	63.2%		
2018	64.1%		
2019	64.9%	—	
2020*	66.7%	—	
2021	65.7%	—	

Follow-Up After Emergency Department Visit for Mental Illness, 7 days:

Percent of emergency room visits for members (age 6 and over) with a mental illness, who had a follow-up visit for mental illness within 7 days of the emergency department visit.

*Due to changes in the measure in 2018, do not trend with prior years.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 65.2%, SHP 67.2%, UHC 64.6%

Follow-Up After Emergency Department Visit for Mental Illness within thirty days

HEDIS	Higher rates are better 0% 50% 100%	Compared to Prior Year	Compared to U.S. via Quality Compass
2017	75.7%		
2018	76.4%		
2019	76.3%	—	
2020*	78.5%	↑	
2021	77.4%	—	

Follow-Up After Emergency Department Visit for Mental Illness, 30 days:

Percent of emergency department visits for members (age 6 and over) with a mental illness, who had a follow-up visit for mental illness within 30 days of the emergency department visit.

*Due to changes in the measure in 2018, do not trend with prior years.
Due to changes in the measure in 2020, trend with prior years with caution.*

2021 health plan rates: ABH 77.5%, SHP 78.5%, UHC 76.2%